

L Number	Hits	Search Text	DB	Time stamp
-	14	(709/203.cccls. and 707/204.cccls.) and @ad<20010105	USPAT; US-PGPUB	2004/04/28 09:45
-	636	707/204.cccls. and @ad<20010105	USPAT; US-PGPUB	2004/04/28 09:46
-	22	(707/204.cccls. and @ad<20010105) and (distribute\$3 NEAR4 (backup or "back-up"))	USPAT; US-PGPUB	2004/04/28 09:52
-	93	(707/204.cccls. and @ad<20010105) and ((parallel or redundant\$3 or multiple) NEAR5 (backup\$2 or "back-up"))	USPAT; US-PGPUB	2004/04/28 09:53
-	85	((707/204.cccls. and @ad<20010105) and ((parallel or redundant\$3 or multiple) NEAR5 (backup\$2 or "back-up")) not ((707/204.cccls. and @ad<20010105) and (distribute\$3 NEAR4 (backup or "back-up"))))	USPAT; US-PGPUB	2004/04/28 10:55
-	0	(client and server and (backup or "back-up")) NEAR6 (permanent or ("not" NEAR3 delete)) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 10:59
-	451	(permanent or ("not" NEAR3 delete)) NEAR4 database and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:02
-	265	((permanent or ("not" NEAR3 delete)) NEAR4 database and @ad<20010105) and (redundant\$3 or parallel or shadow\$3 or "SAN" or (backup or "back-up"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:00
-	0	("not" NEAR3 delete) NEAR4 database and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:03
-	0	undeleteable NEAR4 (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:03
-	0	undeleteable SAME (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:11
-	0	undeleteable AND (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:15
-	15952	(("not" NEAR3 delete) or permanent) SAME (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:17
-	6264	(("not" NEAR3 delete) or permanent) NEAR2 (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:19
-	6264	(permanent) NEAR2 (record or table or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:20
-	1	(("not" or "un") adj2(chang\$4 or modif\$5 or delete) NEAR3 database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:21

7/29/04

	0	("can't" or (can adj1 "not")) NEAR3 (delete or purge or remove) NEAR4 database and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:22
	0	("can't" or (can adj1 "not")) NEAR10 (delete or purge or remove) NEAR4 database and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:23
	1	("can't" or (can adj1 "not")) NEAR10 (delete or purge or remove) NEAR4 (record or file) and @ad<20010105)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:24
	8	record NEAR10 cannot NEAR4 delete and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:27
	0	undeleteable NEAR8 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:27
	0	undeleteable NEAR20 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:29
	7333	(permanent or persistent or perpetual) NEAR6 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:29
	540	(persistent or perpetual) NEAR6 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:31
	386	((persistent or perpetual) NEAR6 (record or log or entry) and @ad<20010105) and database	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:30
	1939	(locked) NEAR6 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:31
	21	(locked NEAR7 delet\$3) NEAR6 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 11:49
	62	(cannot NEAR7 (delete or purge or remove)) NEAR10 (record or log or entry) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:06
	299	(prevent\$3 or stop\$4 or protect\$3) NEAR5 (record or database) NEAR4 (remov\$3 or delet\$3) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:12
	39	((prevent\$3 or stop\$4 or protect\$3) NEAR5 (record or database) NEAR4 (remov\$3 or delet\$3) and @ad<20010105) and (client and server and (backup or "back-up" or "back up"))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:37

	4825	(airplane or plane or flight) NEAR5 (log or record or database or maintenance) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 13:18
	386	(airplane or plane or flight) NEAR5 (database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:42
	0	(airplane or plane or flight) NEAR5 (database) NEAR10 (client and server and (backup or "back-up" or (back adj1 up))) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:43
	0	(airplane or plane or flight) NEAR5 (database) SAME (client and server and (backup or "back-up" or (back adj1 up))) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:43
	13	((airplane or plane or flight) NEAR5 (database) and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 12:43
	42	(airplane or plane or flight) NEAR5 (maintenance or repair or service) NEAR5 (log or record or database) and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 13:19
	6290	(maintenance or service) NEAR5 record and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:50
	336	((maintenance or service) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:50
	42	((maintenance or service) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up))) and (client NEAR4 ("ID" or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:50
	1805	(maintenance or repair) NEAR5 record and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:53
	95	((maintenance or repair) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:57
	33	((maintenance or repair) NEAR5 record and @ad<20010105) and (client NEAR4 ("ID" or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:51
	95	((maintenance or repair) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up))) and (client and server and (backup or "back-up" or (back adj1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:51
	18	((maintenance or repair) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up))) and (client NEAR4 ("ID" or identifier))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:51

	3	(airplane or airline) NEAR5 (maintenance or repair) NEAR5 record and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:56
	6366	(vehicle or car or maintenance or inspection) NEAR5 record and @ad<20010105	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:56
	127	((vehicle or car or maintenance or inspection) NEAR5 record and @ad<20010105) and (client and server and (backup or "back-up" or (back adj1 up)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/28 15:57
	3915	(accurate or unalterable) NEAR7 (record or log or database)	USPAT; US-PGPUB	2004/04/29 08:57
	39	(unalterable) NEAR7 (record or log or database)	USPAT; US-PGPUB	2004/04/29 09:08
	49	(unalterable) NEAR7 (record or log or database)	USPAT; US-PGPUB	2004/04/29 09:12
	10	((unalterable) NEAR7 (record or log or database)) not ((unalterable) NEAR7 (record or log or database))	USPAT; US-PGPUB	2004/04/29 09:12
	1	(unalterable and unerasable) NEAR7 (record or log or database)	USPAT; US-PGPUB	2004/04/29 09:14
	1	(unalterable and unerasable) NEAR20 (record or log or database)	USPAT; US-PGPUB	2004/04/29 09:14
	0	(unalterable and undelet\$4) NEAR20 (record or log or database)	USPAT; US-PGPUB	2004/04/29 09:14
	1	("5987474").PN.	USPAT; US-PGPUB	2004/04/29 09:27
	1	("20020091756").PN.	USPAT; US-PGPUB	2004/04/29 15:38
	4	6308120.URPN.	USPAT	2004/04/29 09:55
	1	6487479.URPN.	USPAT	2004/04/29 09:58
	25	("4404639" "5414626" "5552987" "5717595" "5729452" "5808907" "5870464" "5931877" "5960196" "6003808" "6052631" "6067486" "6115656" "6151582" "6151601" "6233577" "6263265" "6263268" "6263322" "6308120" "6314422" "6321142" "6330499" "6336079" "6338152").PN.	USPAT	2004/04/29 09:58
	19	("4258421" "4506337" "4533900" "4602127" "4739482" "4991169" "5751338" "5819201" "5933080" "6023232" "6038508" "6067009" "6067486" "6097313" "6119060" "6154658" "6169943" "6172602" "6195602").PN.	USPAT	2004/04/29 10:01
	9	airplane NEAR6 (maintenance NEAR5 (record or log))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:19
	1181	701/29.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:19
	80	701/29.cccls. and airplane	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:25
	45	(maintenance adj4 record).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:01

	0	client NEAR8 (submit or enter) NEAR8 (maintenance adj5 record) NEAR3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB	2004/04/29 10:43
	0	client NEAR8 (submit or enter or send) NEAR8 (maintenance adj5 record) NEAR3 server	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB	2004/04/29 10:44
	4	database NEAR6 record SAME (keyed NEAR6 ((client or user) NEAR5 ("ID" or identifier)))	USPAT; US-PGPUB	2004/04/29 10:49
	3	database NEAR6 record SAME (indexed NEAR6 ((client or user) NEAR5 ("ID" or identifier)))	USPAT; US-PGPUB	2004/04/29 10:50
	4	database NEAR6 record SAME (indexed NEAR6 ((client or user) NEAR5 ("ID" or identifier or address)))	USPAT; US-PGPUB	2004/04/29 10:50
	3	(airplane NEAR8 repair).ti.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT	2004/04/29 11:02
	2	(US-6292806-\$ or US-6308120-\$).did.	USPAT	2004/04/29 13:00
	1	((US-6292806-\$ or US-6308120-\$).did.) and ((maintenance or service) NEAR10 requirement)	USPAT; US-PGPUB	2004/04/29 13:04
	59	(notify\$3 or alert\$3) NEAR6 ((maintenance or service) NEAR10 requirement)	USPAT; US-PGPUB	2004/04/29 13:09
	135	(notify\$3 or alert\$3) NEAR6 (schedule\$2 NEAR8 (maintenance or service))	USPAT; US-PGPUB	2004/04/29 13:09
	64	(notify\$3 or alert\$3) NEAR6 (schedule\$2 NEAR8 (maintenance or service)) and @ad<20010105	USPAT; US-PGPUB	2004/04/29 13:09
	64	((notify\$3 or alert\$3) NEAR6 (schedule\$2 NEAR8 (maintenance or service)) and @ad<20010105) not ((notify\$3 or alert\$3) NEAR6 ((maintenance or service) NEAR10 requirement))	USPAT; US-PGPUB	2004/04/29 13:20
	30	5931878.URPN.	USPAT	2004/04/29 13:15
	442	maintenance NEAR6 alert and @ad<20010105	USPAT; US-PGPUB	2004/04/29 13:20
	7	computer NEAR2 maintenance NEAR6 alert and @ad<20010105	USPAT; US-PGPUB	2004/04/29 13:20
	0	software NEAR6 (pilot NEAR4 flying) and @ad<20010105	USPAT; US-PGPUB	2004/04/29 15:39
	9	software SAME (pilot NEAR4 flying) and @ad<20010105	USPAT; US-PGPUB	2004/04/29 15:39
	0	(pilot NEAR7 record NEAR8 (flying adj5 hours)) and @ad<20010105	USPAT; US-PGPUB	2004/04/29 15:40
	1	(pilot NEAR7 (flying adj5 hours)) and @ad<20010105	USPAT; US-PGPUB	2004/04/29 15:40
	34	pilot NEAR5 log and @ad<20010105	USPAT; US-PGPUB	2004/04/29 15:40